

[Skip to content](#)

Manuals+

User Manuals Simplified.



ANYCUBIC Wash Cure User Manual

Home » [Anycubic](#) » ANYCUBIC Wash Cure User Manual 

ANYCUBIC Wash Cure User Manual



Contents [[hide](#)]

- [1 Technical Specification](#)
- [2 Safety instruction](#)
- [3 Packing list](#)
- [4 Product Overview](#)
- [5 Instructions](#)
- [6 Maintenance](#)
- [7 Troubleshooting](#)
- [8 File Downloads](#)
- [9 Related Manuals](#)

Technical Specification

Mode		Wash and Cure
Control Mode		Touch button Led Light
Rated power		40w
Input Voltage		AC110/200V 50/60Hz
UV LED		405nm(80)+365nm(8)
Time Mode		2min 4 min 6 min
Machine Size		220mm(L)*230mm(W)*370mm(H)
Maximum Wash Volume		115mm(L)*65mm(W)*165mm(H)
Maximum Curing Volume		140mm(D)*165mm(H)
Net Weight		5.7kg
Net Weight	Blue	Time Mode
	Red	Idle
	Green	Working

Thank you for choosing ANYCUBIC product please read this this manual carefully. The installation)and precaution in this manual can help avoid any unnecessary damage of frustration prec.autilons
More information please refer to:

1. <http://www.anycubic.com/>

ANYCUBIC website provide software, videos,models .after-sale services,etc.please visit our website for technical support and we are likely to answer or solve all the question for you.

2. Facebook page and youtube channel as shown below



ANYCUBIC Website



Facebook page



Youtube channel

Safety instruction

A ways follow the safety instructions during assembly and usage to avoid any unnecessary damage to the machine or individual injury.



Please contact our customer service first If you have any issue after receiving the products.



The washing liquid should be sealed and stored in a cool and dry place after use. If the liquid is alcohol, please strictly follow the instructions of alcohol.



In the curing mode, do not take off the cover of the machine to prevent potential hazard of UV light.



Do not clean the models directly without putting them in cleaning basket or suspending them on the platform. After cleaning, the models need air-dried before putting in the curing chamber.



Be cautious when using the scraper. Never direct the scraper towards your hands.



In case of emergency, please immediately cut off the power of ANYCUBIC machine and contact the technical support.



ANYCUBIC machine includes moving parts that can cause injury,



Keep the ANYCUBIC machine and its accessories out of reach from children at all times.



ANYCUBIC machine must not be exposed to water or rain.



ANYCUBIC machines designed to be used within ambient temperature ranging 0°C-40°C, and humidity ranging 20%-50%. Working outside those limits may result in low quality performance.



Do not disassemble ANYCUBIC machine, please contact technical support if you have any question.


Packing list



Wash&Cure



Power adapter/Power cord 1 unit



Adjustment platform holder 1PC



Platform holder 1PC



Curing table 1PC



Stainless steel bearing 1PC




Stainless steel washing basket 1PC



Washing bucket 1PC



After sale service card 1PC




Tool kit 1 unit



User manual 1PC

Product Overview

1. Anti-UV lip-block 99.995% of UV light and plays a protective role.
2. Control panel-touch it to control the machine.



3. UV LED panel-for model curing.



- 4. Air vent- there is fan inside to dissipate heat.
- 5. Anti-UV lid sensor – to detect whether the anti UV lid is covered or not.
- 6. Power switch – turn on/off the machine.
- 7. Power socket – to connect the external adapter.



Instructions

This machine (Wash & cure) is suitable for washing and post-curing of printed objects of M-SLA 3D printers (such as the Anycubic Photon Series 3D printers). This machine has two working modes, wash and cure. The following describes the basic functions and operation precautions in different working modes. Please read the manual carefully before getting started.

1. Plug in the power



2. Turn on the machine



3. The default mode is curing



Wash mode

1. Switch the machine to wash mode by touching the mode on front panel.




2. Place the washing bucket firmly on the platform by the indentation.
(Note: The curing table must be took off if it is on the platform.)



3. There are two cases for washing:

1. The printed object are on the platform. Then please use the platform holder to secure the platform as shown below .



2. choose the suitable platform holder:

1. Adjustable platform holder – suitable for model with height less than 115mm.
2. platform holder – suitable for models with height greater than 115mm and less than 165mm




If you use another platform holder, you just need to fix it directly to the machine.


If you use another platform holder you just need to fix it directly to the machine.

1. The printed object has been removed from the platform (suitable for small models) Then please use the washing basket to hold the printed objects.



Note: The holes on the washing basket is 18mm. If the objects are less than 18mm, please do not remove them from the platform, and refer to the instruction on the left to clean them with the platform.





The washing liquid shall not exceed the maximum scale



4. Touch the time icon to select the washing time and then touch the start icon to start washing (If the lid has been removed during the operation, the program will be paused. And the program will resume after cover back the lid.)



5. After the washing is complete, a beeping sound will indicate its's finished. After the model is washed it is suggested to air dry the model before proceeding to the next post – cure process.

Tips: After washing , please remove and seal the washing bucket to avoid spilling the washing liquid. Cure mode (After washing post curing can increase the strength of the printed objects.) it is suggested to air dry the model before proceeding to the post-cure process.

1. Switch the machine ro cure mode by touching the mode on the panel



2. Align the curing table with the hole of the platform and install (The washing bucket needs to be removed first it is on the platform). place the object on the curing table and cover the lid.



3. Select the curing time. (Generally if a model has a diameter of less than 30mm, it is recommended to have a curing time of 2 minutes if the model has a very complicated surface structure, it is recommended to increase the curing time) Then touch the start icon to start curing the model.



Attention:

1. If the lid has been removed during the operation the program will be paused. And the program will resume after cover back the lid in order not to effect the curing affect, please do not remove the lid during the curing process.
2. The temperature of the front side of the lid will be slightly higher than room temperature because of the direct UV light.
3. Do not look directly at the UV light during the curing process although the lid has blocked 99.995% of the UV light.

4. After the curing is completed, a beeping sound will indicate it completed.

Tips: If the machine is not used for a long time, please cut off power.

Maintenance

1. Recycling of washing liquid

Here we take "alcohol" as the washing liquid for example.

1. After used for cleaning about 30 models, the alcohol might become muddy, as shown above.



2. Allow the liquid stays still for over 10 hours so the residue could be precipitated and settled.



3. Pour the top layer of alcohol into another container and then dispose the residue, e.g. expose the residue in

the sunlight until the alcohol is completely evaporated and the resin is cured,the the cured resin can be treated as general solid waste.



4. After disposing the waste, rinse the washing bucket several times with water;if the sediment at the bottom of the bucket is too viscous ,remove the bucket rotor and brush them separately (then method of removing the bucket rotor is shown in the first step of the:"Cleaning rotor of the washing bucket" on the next page.)




5. After cleaning the bucket, pour the filtered alcohol into the washing bucket and covered with lid for future use.



2. Cleaning rotor of the washing bucket

At washing mode,the rotor at the bottom of the washing bucket will rotate at high speed.If the rotor rotates abnormally after long-term use,you can replace the stainless steel bearing in the rotor (there is 1pcs spare bearing in the package).The process is shown below.



Troubleshooting

- 1. The machine does not work .**
 1. Poor power contact.pull out the power cord and plug it in again.
 2. The lid is not covered . Try again after cover the lid.
2. The rotor inside the washing bucket does not rotate during the washing process.
 1. The rotor inside the washing bucket does not move because it is caught by foreign matter turned off,pour out the alcohol and remove the foreign matter.then turn on the power to wash the model again.
 2. There are too much precipitation in the washing liquid, please change the washing liquid and clean the bucket and rotor.
3. The machine has abnormal sound during operation.
 1. The floor on which the machine is placed is not flat enough.
 2. Z-axis motor bearing need oil.Inject normal grease into oil hole of the motor .
 3. The screw on the rotor is loose during the washing process.Fix the screw to the motor.
4. The model turn white after washing and curing.
 1. The concentration of alcohol used for washing is not high enough wash with more than 95% alcohol.
 2. Curing is performed immediately after the model is washed is washed.It needs to wait for the model to air dry before putting it into the machine for curing.
5. Touch to switch the mode button og the machine the tw mode light are not bright.
 1. Try again or reboot the machine

Thank you for purchasing ANYCUBIC products! Under normal usage and service the product and its parts have a warranty period up to one year.please visit ANYCUBIC official website (www.anycubic.com)for more detail and report any issue with ANYCUBIC products.Our professional after-sale service team would response within 24 hours and help you to solve the issue.

File Downloads



User Manual [Download](#) [optimized]
Wash Cure [Download](#)

Related Manuals

1. [Anycubic Wash and Cure User Manual](#) Anycubic Wash and Cure User Manual Technical Specification Model...
2. [imc Mobile Hand Wash Unit User Manual](#) MOBILE HAND WASH UNIT INSTALLATION AND USER MANUAL PLEASE LEAVE...
3. [SereneLife Wheeled Mobile Foot-Pump Hand Wash Stand User Manual](#) SereneLife Wheeled Mobile Foot-Pump Hand Wash Stand User Manual INTRODUCTION...
4. [Homedics MR-100 HAVEN The Cure For The Common Day Instruction Manual and Warranty Information](#) Congratulations! You have made a wonderful investment in yourself and...
5. [HOOVER H-Wash & Dry 500 Instruction Manual](#) HOOVER H-Wash & Dry 500 Assembly A: Prewash B: Softeners...